



TruVis EHS

Product Data Sheet		
PRODUCT/CLASS	2-Ethylhexyl stearate; Mono ester of Veg Stearic Acid	
MANUFACTURING LOCATION	Brownsville, Tennessee	
AVAILABILITY	US. Additional Country Availability information on request.	
MARKET	Industrial, Transportation, Metalworking	
USES/CLAIMS	Base Oil, Additive; Lubricant, Water Miscible, Friction Modifier	
APPLICATIONS	Hydraulic, Grease, 2-Stroke, MWF	
PROPERTY	TYPICAL VALUE	TEST METHOD
VISCOSITY @ 40°C	9.3 cSt	ASTM D445-09
VISCOSITY @ 100°C	2.8 cSt	ASTM D445-09
VISCOSITY INDEX	158	
POUR POINT	+3 °C	ASTM D5950-02
FLASH POINT, COC	220 °C	ASTM D92-05A
SPECIFIC GRAVITY @ 25°C	0.857	ASTM D4052-09
COLOR, PT CO	40	ASTM D1209-05
PURITY, ESTER CONTENT	99.0	ASTM D3465
ACID VALUE	0.10 mg KOH/g	ASTM D974-08
MOISTURE CONTENT	500 ppm	ASTM E1064-08
SEDIMENT, INSOLUBLE CONTAMINATION	3.5 mg/L	

Customer Service:
1-800-554-9887
Fax: 401-724-6250



Teknor Apex Company
505 Central Avenue
Pawtucket, Rhode Island 02861
www.teknorapex.com/truvis

The information contained herein was obtained on representative samples of the materials and is believed to be reliable. Teknor Apex welcomes an opportunity to discuss your specific requirements regarding sales specifications.